

- Access Doors, Foundation
- Anchor Bolts
- Angles, Rolled
- Area Walls and Grates (Standard Grade)
- Area Walls (Regular Grade)
- Area Walls (Commercial Grade)
- Area Walls (Egress)
- Area Wall Grates, Covers and Ladders
- Ash Dumps
- Bar and Perforated Strainers (Cast Iron)
- Bell Traps (Cast Iron and PVC)
- Brick Clamps
- Chimney Caps and Accessories
- Cleanout Doors (Cast Iron and Steel)
- Columns (Adjustable and Fixed)
- Column Components and Tubing
- Dampers and Controls (Cast Iron)
- Foundation Anchors
- Jack Posts
- Lintels (Block and Brick)
- Mortar Boxes and Pans
- Nail Stakes (Steel)
- Trench Drain
- Ventilators, Foundation
- Wall Ties

**Extend-O-Columns:**  
[3" Diameter, 11 Gauge](#)  
[3 1/2" Diameter, 11 Gauge](#)  
[4" Diameter, 11 Gauge](#)  
[3 1/2" Diameter, .216 Wall](#)

**Fixed Length Columns:**  
[3" Diameter, 11 Gauge](#)  
[3 1/2" Diameter, 11 Gauge](#)  
[4" Diameter, 11 Gauge](#)  
[3 1/2" Diameter, .216 Wall](#)  
**Column Accessories:**  
[Click Here](#)

## Steel Columns

## Adjustable Length - "Extend-O Columns"



### "Extend-O-Columns" | Adjustable Length

- Complies with IRC and IBC
  - Completely assembled: 4" x 8" plate welded to top end and 3-1/2" x 6" plate permanently attached to screw on bottom end
  - Flow-coated inside and out with red corrosion-resistant paint
  - Straps available upon request
  - Special sizes available upon request
  - Standard Bundles: 3" – 40 pieces
- \*All loads listed are with adjustable screw extended 6-1/2" and encased in concrete.

### 3" Diameter Round | 11 Gauge – Adjustable

Model	Adj. Length	Weight (#)	Maximum Load*
AC360	6'0" - 6'4"	29.0	18,700#
AC363	6'3" - 6'7"	30.0	18,200
AC366	6'6" - 6'10"	31.0	17,800
AC369	6'9" - 7'1"	32.0	17,300
AC370	7'0" - 7'4"	33.0	16,800
AC373	7'3" - 7'7"	34.0	16,300
AC376	7'6" - 7'10"	35.0	15,800
AC379	7'9" - 8'1"	36.0	15,300
AC380	8'0" - 8'4"	37.0	14,800
AC383	8'3" - 8'7"	38.0	14,200
AC386	8'6" - 8'10"	39.0	13,800
AC389	8'9" - 9'1"	40.0	13,300
AC390	9'0" - 9'4"	41.0	12,800
AC393	9'3" - 9'7"	42.0	12,300
AC396	9'6" - 9'10"	43.0	11,800
AC399	9'9" - 10'1"	44.0	11,300
AC3100	10'0" - 10'4"	45.0	10,900
AC3103	10'3" - 10'7"	46.0	10,400
AC3106	10'6" - 10'10"	47.0	10,100
AC3109	10'9" - 11'1"	48.0	9,500
AC3110	11'0" - 11'4"	49.0	9,100
AC3113	11'3" - 11'7"	50.0	8,700
AC3116	11'6" - 11'10"	51.0	8,300
AC3119	11'9" - 12'1"	52.0	8,000
AC3120	12'0" - 12'4"	53.0	7,600

### IMPORTANT

Column selection should be based upon structural calculations completed by a registered professional engineer. Not responsible for the installation, alteration, or modification of any completed product, or the usage of any component in the fabrication of any product beyond our control

[See ATI-ES Code Compliance Research Report \(CCRR-0145\)](#)

Click here for  
 Marshall's Online  
 Catalog  
 (Downloadable .PDF)

